









DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE IO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)





















DO NOTUSE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING; FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN THISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)














ON OT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING., FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE IO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)














DO NOTUSE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING; FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN THISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)





